

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
1	1	("6772163").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:47
2	2	("6477523").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:47
4	29	(exclus\$3) and hash\$3 same join\$3 same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:54
3	27	(inclus\$3) and hash\$3 same join\$3 same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 17:04
5	9328	707/2-4,7,10,102.104.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 17:04
6	8178	709/203,219,227.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 17:05
7	21	((inclus\$3) and hash\$3 same join\$3 same table\$1) and 707/2-4,7,10,102.104.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 17:05
8	22	((exclus\$3) and hash\$3 same join\$3 same table\$1) and 707/2-4,7,10,102.104.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 17:06
9	1	((exclus\$3) and hash\$3 same join\$3 same table\$1) and 709/203,219,227.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 17:06
10	1	((inclus\$3) and hash\$3 same join\$3 same table\$1) and 709/203,219,227.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 17:07

11	22	hash\$3 near join\$3 and table\$1 same (left or right) same value\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 17:09
12	0	(hash\$3 near join\$3 and table\$1 same (left or right) same value\$1) and (exclus\$3 or inclus\$3) same merg\$3 same join\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 17:09
13	23	(database\$1 or data near base\$1) and (exclus\$3 or inclus\$3) same merg\$3 same join\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 17:10
-	12	(structur\$2 near quer\$3 near language or sql) same hash near join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:45
-	0	(structur\$2 near quer\$3 near language or sql) and exclus\$3 same hash near join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/17 18:01
-	0	exclusion same hash near join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/17 18:01
-	3526	(exclus\$3 or inclus\$3) same join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/17 18:02
-	2	(exclus\$3 or inclus\$3) same hash\$3 same join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/17 18:03
-	133	sql and hash\$3 same join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/17 18:03
-	0	(sql and hash\$3 same join\$1) and transpos\$3 same table\$1 same hash\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/17 18:04

-	1	(sql and hash\$3 same join\$1) and transpos\$3 same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/17 18:04
-	0	herein adj after	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 13:59
-	870781	hereinafter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 13:59
-	28	ncr.as. and join\$3 near table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 10:55
-	2	ncr.as. and join\$3 near table\$1 same hash\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 11:05
-	10	ncr.as. and join\$3 near table\$1 and hash\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 11:21
-	0	(inclus\$3 and exclus\$3) same hash\$3 same join\$3 same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 11:22
-	0	(inclus\$3) same hash\$3 same join\$3 same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:55
-	18	(inclus\$3) and hash\$3 same join\$3 same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:53
-	4	(inclus\$3 and exclus\$3) and hash\$3 same join\$3 same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:57

-	18	(inclus\$3) and hash\$3 same join\$3 same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 14:11
-	27	outer near table\$1 and hash\$3 same join\$3 same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 14:20
-	21	(outer and inner) near table\$1 and hash\$3 same join\$3 same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:45
-	1	((outer and inner) near table\$1 and hash\$3 same join\$3 same table\$1) and (transpos\$3 or swap\$4) same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 15:13
-	1	((outer and inner) near table\$1 and hash\$3 same join\$3 same table\$1) and (transpos\$3 or swap\$4) same inner same outer same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 15:14
-	2	hash near join\$1 same (transpose\$3 or swap\$3 or revers\$3 or interchang\$3) same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:48
-	3	hash near join\$1 and quer\$3 same exclus\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:49
-	631	(transpos\$3 or swap\$4 or interchang\$3) same table\$1 and (quer\$3 or sql)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 15:13
-	4	(transpos\$3 or swap\$4 or interchang\$3) same (inner same outer) same table\$1 and (quer\$3 or sql)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 15:15
-	24	(transpos\$3 or swap\$4 or interchang\$3) same (inner same outer) same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 15:18

-	2	(transpos\$3 or swap\$4 or interchang\$3) same (inner same outer) near table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 15:18
-	26	(transpos\$3 or swap\$4 or interchang\$3) same (inner or outer) with table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 15:19
-	12	(transpos\$3 or swap\$4 or interchang\$3) with table\$1 and (hash\$3 same join\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 16:07
-	1114	quer\$3 same (inclus\$3 or exclus\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 16:07
-	13	quer\$3 same (inclus\$3 or exclus\$3) and (transpos\$3 or swap\$4 or interchang\$3) same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 16:08
-	0	exclus\$3 same hash near join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:04
-	0	inclus\$3 same hash near join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:05
-	0	inclus\$3 and exclus\$3 and hash near join\$1 and (transpos\$3 or interchang\$3 or swap\$4) same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:05
-	6	hash near join\$1 and (transpos\$3 or interchang\$3 or swap\$4) same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:15
-	1	"5983215".PN.	USPAT	2003/10/18 14:13
-	1	"5878427".PN.	USPAT	2003/10/18 14:13

-	82	707/2-4.ccls. and hash near join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:16
-	35	(707/2-4.ccls. and hash near join\$1) and (inner with table\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:30
-	4	((707/2-4.ccls. and hash near join\$1) and (inner with table\$1)) and (swap\$4 or transpo\$3 or exchang\$3 or interchang\$3) same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:17
-	0	707/\$.ccls. and (join\$1 near optimiz\$3) same (swap\$4 or exchang\$3 or interchang\$3 or transpos\$3) same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:36
-	3	707/\$.ccls. and (join\$1 near optimiz\$3) and (swap\$4 or exchang\$3 or interchang\$3 or transpos\$3) same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:45
-	1	(replac\$3 or substitut\$3) same merge near join\$1 same hash\$3 near join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:48
-	3723	(multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:50
-	235	((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1) and (configur\$3 or setup) same (manag\$3 or manipul\$3) same data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:51
-	0	((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1) and (configur\$3 or setup) same (manag\$3 or manipul\$3) same data) and (session near control\$1) and (interpret\$3 or pars\$3) same (quer\$1 or command\$1) and (optimizer\$1) and (execut\$3 near plan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:53

-	0	(((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1) and (configur\$3 or setup) same (manag\$3 or manipul\$) same data) and (session near control\$1) and pars\$3 same (quer\$1 or command\$1) and (optimizer\$1) and (execut\$3 near plan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:54
-	0	(((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1) and (configur\$3 or setup) same (manag\$3 or manipul\$) same data) and (control\$3 same session\$1) and pars\$3 same (quer\$1 or command\$1) and (optimizer\$1) and (execut\$3 near plan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:55
-	0	(((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1) and (configur\$3 or setup) same (manag\$3 or manipul\$) same data) and (session\$1) and pars\$3 same (quer\$1 or command\$1) and (optimizer\$1) and (execut\$3 near plan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:55
-	0	(((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1) and (configur\$3 or setup) same (manag\$3 or manipul\$) same data) and (control\$3 with access\$3 same process\$3) and pars\$3 same (quer\$1 or command\$1) and (optimizer\$1) and (execut\$3 near plan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:55
-	0	(((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1) and (configur\$3 or setup) same (manag\$3 or manipul\$) same data) and pars\$3 same (quer\$1 or command\$1) and (optimizer\$1) and (execut\$3 near plan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:56
-	0	(((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1) and (configur\$3 or setup) same (manag\$3 or manipul\$) same data) and pars\$3 same (quer\$1) and (optimizer\$1) and (execut\$3 near plan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:57
-	0	(((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1) and (configur\$3 or setup) same (manag\$3 or manipul\$) same data) and pars\$3 and (optimizer\$1) and (execut\$3 near plan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:58

-	0	((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1) and (configur\$3 or setup) same (manag\$3 or manipul\$3) same data) and (optimizer\$1) and (execut\$3 near plan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:58
-	0	((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1) and (configur\$3 or setup) same (manag\$3 or manipul\$3) same data) and (session near control\$1) and (interpret\$3 or pars\$3) same (quer\$1 or command\$1) and (optimizer\$1) and (execut\$3 near plan\$1)) and (optimizer\$1) and (execut\$3 near plan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:59
-	90	parser\$1 and (optimizer\$1) and (execut\$3 near plan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:59
-	8	parser\$1 and (optimizer\$1) and (execut\$3 near plan\$1) and ((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 16:18
-	40	merge near join\$1 same hash\$3 near join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 16:51
-	396	(transpos\$3 or switch\$3 or swap\$4 or interchang\$3) same (inner same outer) same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 16:52
-	5	(transpos\$3 or switch\$3 or swap\$4 or interchang\$3) same (inner same outer) same table\$1 and quer\$3 same optimiz\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 16:54
-	24	(transpos\$3 or switch\$3 or swap\$4 or interchang\$3) same (inner same outer) same table\$1 and (quer\$3 or sql)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 17:54
-	0	header same hash near value same (pre-calculat\$3 or pre-comput\$3 or pre-determin\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 17:55

-	0	header same hash near value\$1 same (pre-calculat\$3 or pre-comput\$3 or pre-determin\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 17:55
-	0	header same hash with value\$1 same (pre-calculat\$3 or pre-comput\$3 or pre-determin\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 17:55
- o	260	header same hash with value\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 17:55
-	1	header same hash with value\$1 and hash\$3 near join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 17:56
-	7	theta near join\$3 and hash\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 18:01
-	10	theta with join\$3 and hash\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 18:02
-	1	theta with join\$3 and hash\$3 and (inclusion\$1 or exclusion\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 18:08
-	1	(r+ or b+) same hash\$3 and (inclusion\$1 or exclusion\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 18:27
-	2	join\$3 same hash\$3 same (inclusion\$1 or exclusion\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 18:28
-	161	hash\$3 same (inclusion\$1 or exclusion\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 18:28

-	21	hash\$3 same (inclusion\$1 or exclusion\$1) and join\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/08 18:28
-	2	hash\$3 same join\$1 same (inclusion\$1 or exclusion\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:49
-	38	hash\$3 same join\$1 and (inclusion\$1 or exclusion\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:49
-	21	hash\$3 same table\$1 same join\$1 and (inclusion\$1 or exclusion\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:50